

INSTALLATION **INSTRUCTIONS**

Accessory

GOLD EMBLEMS P/N 08F20-SJC-100 Application

2007 RIDGELINE

Publications No.

All 32430

Issue Date

MAY 2006

PARTS LIST


Front gold "H" emblem



Rear gold "HONDA" emblem



Rear gold "RIDGELINE" emblem



Rear gold "4WD" emblem



TOOLS AND SUPPLIES REQUIRED

Phillips screwdriver

Flat-tip screwdriver

Ratchet

10 mm Socket

Blanket

Kite string

Isopropyl alcohol

INSTALLATION


Customer Information: The information in this installation instruction is intended for use only by skilled technicians who have the proper tools, equipment, and training to correctly and safely add equipment to your vehicle. These procedures should not be attempted by "do-it-yourselfers."

NOTE:


- Be careful not to damage the body finish.
- To prevent damage, rest the front bumper on a blanket during the installation.
- This gold emblem kit should be installed only if the ambient air temperature is above 60°F (15°C).
- To allow the adhesive to "cure," do not wash the vehicle for 24 hours.

Installing the Front Gold "H" Emblem


1. Open the hood, then remove the front bumper (seven clips, four bolts, two short step bolts and two self-tapping screws). Place the front bumper on a blanket.




Remove the front grille (nine self-tapping screws and eight tabs).



Remove the two self-tapping screws that secure the existing "H" emblem and remove the emblem.




Slide the pins on the front gold "H" emblem into the holes in the emblem base, and install the two self-tapping screws you just removed.



5. Reinstall all removed parts. Check that all retaining pawls and clips are installed properly without play or rattle.

Installing the Rear Gold "HONDA," "RIDGELINE," and "4WD" Emblems


Mark the locations of the existing "HONDA," "RIDGELINE," and "4WD" emblems by applying masking tape along four edges as shown.




"4WD" EMBLEM

EMBLEM

7. Remove the "HONDA," "RIDGELINE," and "4WD" emblems from the body by moving a piece of kite string between the emblems and body.



8. Using isopropyl alcohol on a shop towel, clean the areas where the rear gold "HONDA," "RIDGELINE," and "4WD" emblems will attach.



- Remove the adhesive backing from the "HONDA,"
 "RIDGELINE," and "4WD" emblems and attach
 them to the body. After attaching, hold the
 emblems firmly against the body with the palm of
 your hand for 30 seconds.
- 10. Remove the masking tape.